
AUTOTEX



Premium Quality OEM|ODM Products

Success by Quality

2

AUTOTEX

Simple and Reliable Superior in Quality and Affordable Technologically advanced and user-friendly

AUTOTEX

Value of Enterprise

Since 1988, Autotex has been manufacturing a diverse range of products for Textile Machinery, Water Management Systems, Sanitary ware, Electrical Appliances, Poultry Equipment and Industrial Coating Solutions. Over the years, we have established ourselves as a leading manufacturer in these sectors, known for our unwavering commitment to quality.

Our commitment to quality starts with R&D and design, ensuring every product meets the highest quality standards from development to delivery. Our strict in-house quality controls are trusted by leading OEMs worldwide, enabling us to serve customers in over 40 countries. Customers choose us for our continuous innovation, proven quality, on-time delivery, and excellent value.

At Autotex, we follow a well-organized process that meets global standards. Our responsibility goes beyond delivering products, we believe in providing strong after-sales support to ensure complete customer satisfaction. We are ISO 9001 certified, and our products are globally recognized with certifications such as CB, CE, IEC, RoHS, REACH, G Mark, SASO and ISI.

Professional and reliable manufacturing partnership with global leaders

Our Capabilities

100 Mn+
Bobbin Holders

5000+

Customers

100+
Sales Partners

Patents

4U+Countries










The Globally Tested and Trusted



Features

- Bobbin Holder components are made of special anti-static nature material to protect against entry of fluff.
- The patented ratchet mechanism ensures a superior performance for a proven, reliable, trouble free, and longer duration of life.
- The bearing mechanism is with the spherically centered principle for a smooth, precise and consistent unwinding of roving.
- Internal braking system adopts the special spherically centering principle for an effective brake for a precise rotation.
- The ratchet mechanism is successfully tested for 1,00,000 strokes which is more than 20 years of life.

Reserve Bobbin Holders













Any

Material

Count

Hank

Roving Weight

Spindle Speed

Ring Frame

One Bobbin Holder

Autotex MBS ₀₇

Features

- Multi Brake System provides reliable, flexible operation.
- Easily change brake force for different processes.
- Five stages available for brake force selection.
- Brake force adjustable without stopping the machine.
- Each stage is numbered for easy identification.



Think **Safety**



BLS Bobbin Locking System





Falling Accidents

Features

- Avoids accidents caused by falling bobbins.
- Stabilizes holder and bobbin, preventing tilting.
- Secures bobbins with sturdy locking mechanism.
- Bobbin replacements reduced due to bore damage.
- Ensures uniform delivery of roving yarn.

Stable holding
Uniform roving delivery
Avoids bobbin lifting and tilting
Reduces bobbin replacement cycle

A system to hold and Lock the bobbin

Autotex BLS



Think

Quality



4PHS | Four Point Holding System





Features


- Suspension system absorbs shocks during loading.
- Fits various track profiles from global OEMs.
- Four-Point Holding system ensures stable bobbin holding.
- Compatible with various roving bobbin standards.
- Maintains stable holding, even with bore damage.

Auto Creeling System
Bobbin Transporting System
Auto Bobbin Cleaning System
Speed Frame Auto Doffing System

Bobbin Holding Solution


Autotex 4PH-S / 4PH





Ring Spinning | Bobbin Transportation System

















The Best. Again...

To make a Quality fabric

Carding | Drawing
Combing | Roving
Spinning | Winding

Weaving is Important

One thing very important in every stage is - Cleaning

Features

- Ensures easy replacement of spindle rods.
- Flexibility to reach difficult areas for cleaning.
- Prevents damage to machine parts during cleaning.
- Lightweight design enhances efficiency and comfort.
- Rechargeable battery provides up to 10 hours of battery life in a single charge.



0 -







Return of Investment is less than 10 Months. No Cleaning required for Life Time



Features

- ROI achieved in less than 10 months.
- Fibre is removed by pushing angularly.
- Fanning effect prevents dust from entering.
- Eliminates daily manual cleaning processes.
- Significant savings in labor and power costs.
- Trouble-free performance and lasts over 5 years.



TEXTILE > **MACHINE PARTS**























VENTILATING FAN



POULTRY EQUIPMENTS

WATER > **MANAGEMENT SOLUTIONS**



MOSQUITO > **RACQUET**



AUTOTEX

Think Ahead.















29

28







Our Sincere Thanks to Global Leaders

















































































Autotex Wind Farm at Karnataka, INDIA



Autotex U2 - Solar Plant

27 26

Autotex Private Limited

Regd. Office: 13/20, Sitra - Kalapatty road, Coimbatore - 641 014, INDIA, www.autotex.net

Ph: +91 422 4321515 | E-mail: sales@autotex.net

Warning to Copycats

"AUTOTEX products are subject to patent procedures. Infringers stay away" All rights reserved.



www.autotex.net