

AUTOTEX

POULTRY EQUIPMENTS

DESIGNED BY
EXPERIENCE



Textile Products | Poultry Equipments

Water Management Solutions

Hi-tech coatings | Injection Moulds

A Strong vertical and horizontal integration has been the cornerstone of the evolution and growth of Autotex. State-of-the-Art infrastructure created for manufacturing Engineering Plastic components, Pressure die casting parts to cater various industries globally like Automotive, Engineering and Textile components. Today, each of these streams is an independent business vertical. Modules and Assemblies were forward integration of these ranges.

Our objective is to provide defect free parts that fulfill the needs of our customers with added functionality. We firmly believe in developing our products by incorporating the valuable inputs from our customers.

We have expertise in making Thermoplastic moulds, Auto unscrew moulds, Hot and Cold runner moulds, Pressure die casting moulds. Special high quality imported steel from global quality vendors are used to manufacture our moulds and dies. Stringent quality control methods followed in Autotex to meet the global quality requirements.

Our in house fully automated Zinc Electroplating plant is capable to provide surface finish for various engineering components. Fully equipped testing laboratory ensures on line quality control at each and every stage of the process closely.

Autotex aims at giving its customer a complete satisfaction by achieving their requirements at the right time with right quality. Autotex handles all aspects, right from the specification given by the customer from design/analysis and complete product realization and testing, making us an one stop solution for all our customers end requirement.

WELCOME TO AUTOTEX

TRY OUR PRODUCTS - TRYING IS ENSURING
SEE THE DIFFERENCE - SEEING IS BELIEVING

BROILER DRINKER

To achieve the optimum performance from your birds, it is extremely important to provide fresh and clean drinking water. | **Code:** FGDR008P045002

Features:

- Broiler drinker can be used for chick from 3rd day to maturity.
- The two way water flow reduces salt formation & water contamination.
- Broiler drinker ensures less cleaning area when compared with other drinkers.
- The drinker has less assembling parts and It can hold more water and comes with special ballast for stability.

Product Specifications:

- No of birds per drinker - 50 birds / Bell dia - 223mm / Lip space - 56mm



Special Features




More lip space have chance to store more quantity of water



The drinker has wedges on both sides that can make water flow easier and avoids scaling formation & water contaminations.

Valve Mechanism



Spares List:

1		13	
2		14	
3		15	
4		16	
5		17	
6		18	
7		19	
8		20	
9		21	
10		22	
11			
12			

S. No	code	Description
1	PYDR6646P010001	1/2 Inch T Nipple with O Ring
2	BODRP010P045001	O Ring - Dia 18 x 2mm
3	SFDRP0200000001	PVC Hose - 2 Mtr
4	PYDR6631P024001	Red Clip - Drinker
5	PYST6622P015001	Height Adjuster - RA
6	SFDRP019P008001	Rope 3 Mtr
7	PYST6624P017001	Hook - RA
8	PYDR6647P011001	Adjuster VA
9	SFDR003P001003	Union 1/4 Inch - Drinker
10	PYDR6641P033001	Collar Nut VA
11	PYDR6644P036001	Filter Drinker
12	PYDR6625P018001	Housing Top VA
13	SFDR0SPG0000002	Spring - SS, Dia 23.5 x 20.5 x 55mm
14	BODR0000C004001	NBR Washer, Dia 55x31x4mm, Black
15	PYDR6642P034001	Washer Support VA
16	PYDR6626P019001	Housing VA
17	PYDR6639P031001	Bell - Drinker
18	PYDR6636P029001	Stem - Drinker
19	PYDR6627P020001	Lock Nut VA
20	BODRP022P008001	Ballast Bottle - Black
21	PYST6638P030001	Tee Join Nipple - Drinker
22	SFDRP009P002001	Valve Assembly - Drinker

CHICK DRINKER - 4 LTR

To prevent the chicks from drowning and to achieve lifetime performance of chicks it is extremely important to provide unrestricted access to fresh, hygienic and clean water which is available to chicks 24hrs per day. | **Code:** FGDC008P045002

Features:

- The chick drinker helps the new born chicks to drink water with ease.
- The transparent cone helps to check water level easily.
- The drinker can be easily stacked.
- It also comes with a stand to maintain required height.
- The capacity of drinker is to store 4 liters of water.
- For better chick performance we recommend one drinker per 50 chicks.

Note: Chick drinker should be placed along with stand in 1st or 2nd position so as to maintain crop level as following.

Product Specifications:

- No of chicks per drinker - 50 / Water capacity - 4 Lit / Bottom plate dia - 264mm
- Height 1st stage - 301mm / Height 2nd stage - 326mm



Stage 1



From day one to 4th day, the drinker stand should be at 1st position.

Stage 2



From 5th day to 10th day, the drinker stand should be at 2nd position.

Spares List:



S. No	code	Description
1	PYCD6621P014001	Handle - Chick Drinker
2	PYCD6615P009001	Cone - Chick Drinker
3	PYCD6609P008001	Bottom Plate - Chick Drinker
4	PYCD6635P028001	Stand - PE

BABY DRINKER

Used during cage brooding for layer and parents for 10 days. / **Code:** FGBDC008P045001

Product Specifications:

- No of chicks per drinker - 10 chicks
- Water capacity - 0.25 Lit / Plate diameter - 120mm



FEEDER WITH GRILL & CONE EXTENSION

- To maintain healthy birds the fresh feed available at all the time for varying ages and size of your bird. | **Code:** with Grill - FGFD008P045001 | without Grill - FGFD008P045002

Features:

- Auto feeder is designed for easy handling.
- Feeder has slots with number references to help farmers adjust the slots according to the age of the birds. Week wise slot can be easily identified with the help of the arrow on the hanger rod.
- Grill has been designed with blunt edges to avoid injuries to the birds while feeding.
- Lock nut thread at the bottom of the pan prevents slipping. Also comes with option of without grill.

Product Specifications:

- No of birds per feeder - 50 birds / Feed Capacity - 8 kg / Cone dia - 180.5mm
- Cone height - 275mm / Pan (bottom) dia - 334mm / Lip space - 54mm
- Grill gap - 48mm & 64mm / Bottom plate height - 70mm

Feed Management




1 to 10 Days
Cone extension with
inverted grill position



11 Days to Maturity
Cone extension with
normal grill position



Spares List:



S. No	code	Description
1	PYST6622P015001	Adjuster RA
2	BOSTP019P008001	Rope 3 Mtr
3	PYST6624P017001	Hook - RA
4	PYFD6618P009001	Cone Extension - Feeder
5	PYFD6619P013001	Grill - Feeder
6	PYFD6616P009001	Cone - Feeder
7	PYFD6637P029001	Stem - Feeder
8	PYFD6611P008001	Bottom Plate - Feeder
9	PYDR6627P020001	Lock Nut VA

BABY FEEDER

This feeder has been specially designed to help new born chicks & facilitate feed consumption. Tests have proved that chicks are attracted to this particular shape and colour. This feeder can be used from first day to day 8. | **Code:** FGBFC008P045001

Product Specifications:

- No of chicks per feeder - 10 chicks / Feed capacity - 0.5 kg / Plate Diameter - 120mm



TURBO FEEDER

Code: FGTF008P045002

Features:

- Conveniently comes with in built feed saving closure to avoid feed wastage.
- Available with black stand having two way adjustment as per birds age up to 12 days.
- 4kg capacity, can be easily dismantled for cleaning and assemble for re use.
- 40 feeders recommended for 1000 chicks during brooding.

Spares List:



S. No	code	Description
1	PYTF6617P009001	Cone - Turbo feeder
2	PYTF6613P008001	Bottom Plate - Turbo feeder
3	PYDR6627P020001	Lock Nut VA
4	PYCD6635P028001	Stand - PE

CHICK FEEDING TRAY

To achieve the optimum performance from your birds, It is important to use the right feeding equipments. The feeding equipments needs to be safe and easily accessible for the varying ages and size of your chicks. | **Code:** FGSTC007P008001

Features:

- Chick feeding tray facilitates new born chicks to consume feed easily.
- It facilitates hygienic feeding and avoids disease spread in the initial stage.
- It minimizes feed wastage and feed contamination.
- Blended edge prevents chicks from neck damages.
- Tapered side wall facilitates easy feeding.

Product Specifications:

- Feeding capacity - 70 chicks per plate / Height - 45mm / Top dia - 400mm
- Bottom dia - 360mm / Weight - 325 grams



FEMALE PARENT FEEDER

Code: FGFFC008P045001

Features:

- Autotex Female parent feeder is specially designed for female parent birds.
- Specially designed to avoid feed wastage by 25%.
- Improved grill design avoids injuries to birds while feed intake.

Product Specifications:

- Height - 160mm / Pan (bottom) dia - 395mm / No of grills - 12
- Grill gap (top) - 46mm / Grill gap (bottom) - 47mm / Rope - 5 Mtr



BROODING GUARD & STAND

Code:

- 15 f - FGBGC001P045004 | 20 f - FGBGC001P045002 | 30 f - FGBGC001P045003
- Stand - FGBGC002P045002

Features:

- Autotex brooding guard is designed with new plug and lock design for extension of brooding guard sheet.
- It is designed to keep the chicks from wandering away from the source of heat.
- Brooding guards makes separate round partition for brooding of chicks.
- It is made up of finest quality plastic and it is user friendly.
- It helps in controlling number of chicks in specified area that enables free movement of chicks.
- It can be easily stacked / rolled for re-use.


Brooding guard - Product Specifications:

- No of chicks per brooding guard 15F | 20F | 30F - 250 | 300 | 400 chicks
- Available Length - 15 feet | 20 feet | 30 feet / Height - 1.25 feet
- Thickness - 1.00mm / Weight 15F | 20F | 30F - 1.6 kg | 2.1 kg | 3.1 kg



Stand - Product Specifications:

- Height - 250mm / No of stems - 3
- Weight - 165 grams



NOSE CLIP

Used for Male breeder birds to avoid feed consumption from female feeders. It is inserted through the nostrils of Male Breeder Parents.

Code: FGSTC000P008001




JAR 500ml

Used to access medicine ratio for chicks.

Code: FGSTC000P045003

AUTOTEX BIRD BOX

Special features



Code:


- Red - FGCGC007P045001 | Blue - FGCGC012P008001

Features:

- Autotex Bird box has 30% lesser weight than iron cage.
- It reduces transportation cost as well as labour efforts.
- Boxes are made from hygienic, UV stabilized raw material so as to avoid damages by rain and direct sunlight & which is rust free.
- Smoother surface, expertise design make the Boxes injury free.
- Boxes are specially designed for stacking one above the other.
- Extra care taken to avoid damages during rough handling.
- Boxes has large opening on top for easy insertion.
- Additional handles for easy loading and unloading.

Product Specifications:

- No of birds per Box - 14-15 birds @ 1.5kg - 2kg size / length - 910mm
- Width - 555mm / Height - 267.5mm / Weight - 7.2 kg / Ventilation - 56%



AUTOTEX CHICK BOX

Code:


- Red - FGCTC008P008001 | Blue - FGCTC012P045002
- Lid - FGCTC002P045001

Features:

- Stackable and Nestable.
- Hygienic - Easy to clean by water or steam. Ventilation through partitions.
- Saves labour and transport cost. Lid prevents chicks falling down during transit.

Product Specifications:



- No of Chick per Box - 80-100
- length - 670mm / Width - 500mm / Height - 145mm



AUTOTEX EGG TRAY

Features:

- 30 chicken egg's holds in each tray.
- Egg Trays are given reinforcement to avoids breakages of eggs in transit.
- High Durable, quality and flexible. Easy to handle and easy to wash.
- 15LBS, Ideal for commercial Eggs.
- Weight 160 grams each tray.



MULTI PURPOSE CRATES

Features:

- Autotex Multi purpose Crates for transportation of fruits and vegetables.
- Mango ripening or storing of fruits at warehouse.
- Used in chicken processing plants to segregate wastage and portion of chicken pieces.
- Can be stacked one above the other.
- Made of high food grade HDPE granules.
- Available in RED / BLUE / ORANGE / YELLOW

Product Specifications:

- Outer Size - 540 x 355 x 300mm / Inner Size - 510 x 325 x 280mm
- Weight - 1.575 kgs / Capacity - 25Kgs / Volume - 40 Ltrs



SUITABLE FOR

FRUITS / BAKERIES / VEGETABLES / FOOD CENTERS / SUPER MARKETS / GARMENTS / WAREHOUSE



Autotex wind farm at Karnataka - India

WE ARE NOT FAR AWAY

Our Global Network





Autotex Private Limited

(Formerly known as Associated Autotex Ancillaries Private Limited)

📍 13/20, Sitra - Kalapatty Road, Coimbatore - 641 014, INDIA | ☎ +91 422 4321515 | 🌐 www.autotex.net | ✉ info@autotex.net